



JAMA[®]
SAFETY SHOES



JAMA
CORPORATION PRIVATE LIMITED

Head Office : 8/2B, Arya Nagar, Kanpur-208002, Uttar Pradesh, India
Phones : +91 512 3540130, +91 7651947094

e-mail : corporate@jamaoldwest.com; admin@jamasafetyshoes.com • www.jamasafety-shoes.com

Unit 1 :
123/35, Saresh Bagh,
Kanpur-208012,
Uttar Pradesh, India
Phone : +91 512 2219141
+91 512 2237367

Unit 2 :
36 Milestone Kalpi Road,
Jainpur, Ramabai Nagar,
Kanpur Dehat-209311
Uttar Pradesh, India
Phone : +91 9793094999

Unit 3 :
A-5, UPSIDC Industrial Area,
Jainpur, Kanpur Dehat-209311
Uttar Pradesh, India
Phone : +91 8354889000

Catalogue 2024

INDEX

Article	Page No.
Polyurethane (PU) Double Density - JS Series.....	3
Polyurethane (PU) Single Density - JS Series.....	6
Polyurethane (PU) Double Density - JB Series	9
Polyurethane (PU) Single Density - JB Series.....	16
Polyurethane (PU) Double Density - JR Series.....	19
Polyurethane (PU) Single Density - JR Series.....	25
Heat Resistant Safety Shoes - JS Series.....	26
Electrical Shock Resistant Safety Shoes - JS Series.....	28
Clean-Room Safety Shoes (Microfibre) - JM Series.....	29
Fly-Knit Safety Shoes - JF Series	30



JAMA Corporation Private Limited (JCPL, formerly known as MKJ Footwear Private Limited) was established in 1966 as a contract manufacturer for Acme Boot Company in USA. In 1994, JAMA established its own brand name in the USA, 'OLD WEST'. Old West is a brand name well recognised in the western boot market world over.

JAMA is a 100% Export Oriented Unit on its own merit and has three well-equipped state-of-the-art manufacturing units employing approximately 1600 persons with Branch Offices in United States of America, Canada and Germany.

JAMA Corporation Pvt. Ltd. under its brand JAMA Safety Shoes manufactures Single Density & Double-Density PU Moulded Safety Footwear. JAMA has a wide variety of safety footwear, ranging from categories SB to S3, S6 & S7. The company uses only the finest quality raw material for the production of its safety footwear enhancing product life. The safety shoes offer features such as Oil & Fuel Resistance, Slip Resistance, 200 joules Toe Protection, Anti-Puncture & Electrical Resistance to name a few making it suitable for a wide-variety of work environments such as construction, mining, oil refining and many more. JAMA's safety shoes not only provide excellent protection to the wearer's feet but also offer a unique combination of comfort and style, making them practical for every-day use.

JAMA apart from supplying safety shoes to the domestic market also exports safety shoes to Europe, UK, Ireland and the Middle East and also manufactures for reputed safety shoe brands in Europe and India.

JAMA has a fully equipped Safety Shoe Testing Laboratory. All safety shoes manufactured by JAMA are in compliance with EN ISO 20345:2022 & IS 15298:2016 Part-2 standards.

JAMA has its own state-of-the-art Beamhouse and Leather Finishing Unit ensuring consistent and top quality leather for its shoes. All leathers manufactured are REACH compliant. The company has a fully equipped in-house testing lab to carry out the necessary physical and chemical tests on wetblue and finished leather.

Both the tanneries are equipped with a 'Zero Liquid Discharge' (ZLD) Effluent Treatment Plant and Reverse-Osmosis (RO). In order to conserve water, the tanneries recycle about 70 - 80% of water, hence reducing water consumption.

JAMA has BIS Certification for its Single Density PU, Double Density PU & Rubber/PU Safety Shoes for Design Classifications - A, B & C. CM/L Number: 9300084113. JAMA Safety Shoes apart from being ISI Certified, have also been CE Certified by Intertek Italy as per the latest EN 20345: 2022 standards.

JAMA also has been successfully audited against LWG (Leather Working Group) Standards and is an ISO 9001:2015, 14001:2015, 45001:2018 (OH&S) & SA 8000:2014 certified company.

The company adheres to high ethical behaviour in following Rules and Regulations.

Leather used from our in-house LWG Audited Tannery



Anatomy of Footwear



Polyurethane (PU) Double Density - JS Series

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Protective Toe-Cap,
 Sole: Double Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° Celsius, Anti-Static,
 Standard: EN ISO 20345:2022, IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Irving**
 Blue Nubuck DIN-S3
 Double Density PU, S2
 Size : EU 38-46, UK 4-12
 Article No. : JS-156



Style : **Denver**
 Brown Oil-Pull Up DIN-S3
 Double Density PU, S2
 Size : EU 38-46, UK 4-12
 Article No. : JS-010



Style : **Chicago**
 Buffalo Barton Print Black DIN-S3
 Double Density PU, S2
 Size : EU 38-46, UK 4-12
 Article No. : JS-054



Style : **Chicago**
 Buffalo Grace Brown
 Double Density PU, S1
 Size : EU 38-46, UK 4-12
 Article No. : JS-083



Polyurethane (PU) Double Density - JS Series

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Protective Toe-Cap,
Sole: Double Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° Celsius, Anti-Static,
Standard: EN ISO 20345:2022, IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Belmont**
Buffalo Barton Print Black DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JS-124
Standard
Additional



Style : **Phoenix**
Buffalo Barton Print Black DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JS-062
Standard
Additional
Also available in EH version with composite toe-cap JS-062 FT, Electrical Shock Resistant upto 22 kV for 1 minute exposure.



Style : **Seattle**
Buffalo Barton Print Black DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JS-059
Standard
Additional



Style : **Seattle**
Buffalo Smooth Black DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JS-115
Standard
Additional

Polyurethane (PU) Double Density - JS Series

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Protective Toe-Cap,
Sole: Double Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° Celsius, Anti-Static,
Standard: EN ISO 20345:2022, IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Atlanta**
Brown Oil-Pull Up DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JS-009
Standard
Additional



Style : **Omaha**
Suede Navy Blue
Double Density PU, S1
Size : EU 38-46, UK 4-12
Article No. : JS-134
Standard
Additional



Style : **Olympia**
Honey Nubuck DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JS-092
Standard
Additional



Style : **Olympia**
Buffalo Oiled Rust CG Chery
Double Density PU, S1
Size : EU 38-46, UK 4-12
Article No. : JS-087
Standard
Additional
Also available in Single Density PU, JS-116

Polyurethane (PU) Single Density - JS Series

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Protective Toe-Cap,
Sole: Single Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° Celsius, Anti-Static,
Standard: EN ISO 20345:2022, IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Commando Boot**
Nappa Black DIN-S3
Single Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JS-109

Standard

Additional



Style : **Tactical Boot**
Buffalo Barton Print Black DIN-S3
Single Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JS-035

Standard

Additional



Style : **Jungle Boot**
Jungle Green Cloth
Single Density PU, S1
Size : EU 38-46, UK 4-12
Article No. : JS-025

Standard

Additional



Style : **Rockford**
Buffalo Tumble Print Tan
Single Density PU, S1
Size : EU 38-46, UK 4-12
Article No. : JS-149

Standard

Additional

Polyurethane (PU) Single Density - JS Series

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Protective Toe-Cap,
Sole: Single Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° Celsius, Anti-Static,
Standard: EN ISO 20345:2022, IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Atlanta**
Buffalo Full-Grain Barton Print Black
Single Density PU, S1
Size : EU 38-46, UK 4-12
Article No. : JS-153

Standard

Additional



Style : **Rockland**
Buffalo Barton Print Black
Single Density PU, S1
Size : EU 38-46, UK 4-12
Article No. : JS-155

Standard

Additional



Style : **Phoenix**
Buffalo Barton Print Black DIN-S3
Single Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JS-073

Standard

Additional

Also available in EH version with composite toe-cap JS-073 FT, Electrical Shock Resistant upto 18 kV for 1 minute exposure.



Style : **Phoenix**
Buffalo Barton Print Brown DIN-S3
Single Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JS-139

Standard

Additional

Polyurethane (PU) Single Density - JS Series

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Protective Toe-Cap,
Sole: Single Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° Celsius, Anti-Static,
Standard: EN ISO 20345:2022, IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Fremont**
Buffalo Smooth Black DIN-S3
Single Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JS-148
Standard
Additional



Style : **Tacoma**
Buffalo Barton Print Black DIN-S3
Single Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JS-114
Standard
Additional



Style : **Tacoma**
Buffalo Barton Print Brown DIN-S3
Single Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JS-147
Standard
Additional



Style : **Tacoma**
Microfibre White DIN-S3
Single Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JS-097M
Standard
Additional



Also available in ESD version , JS-097M ESD

Polyurethane (PU) Double Density - JB Series

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Protective Toe-Cap,
Sole: Double Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° Celsius, Anti-Static,
Standard: EN ISO 20345:2022, IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Abilene**
Buffalo Crazy Horse Black
Double Density PU, S1
Size : EU 38-46, UK 4-12
Article No. : JB-147
Standard
Additional



Style : **Olympia**
Brown Oil Pull-Up DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JB-063
Standard
Additional



Style : **Woodward**
Suede Grey and Black
Double Density PU, S1
Size : EU 36-46, UK 2-12
Article No. : JB-142
Standard
Additional



Style : **Ruston**
Suede Grey
Double Density PU, S1
Size : EU 36-46, UK 2-12
Article No. : JB-165
Standard
Additional



Polyurethane (PU) Double Density - JB Series

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Protective Toe-Cap,
Sole: Double Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° Celsius, Anti-Static,
Standard: EN ISO 20345:2022, IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Abilene**
Suede Black with Gallop Mesh Inlay
Double Density PU, S1
Size : EU 38-46, UK 4-12
Article No. : JB-163
Standard
Additional



Style : **Newberg**
Buffalo Shark Print Black
Double Density PU, S1
Size : EU 38-46, UK 4-12
Article No. : JB-164
Standard
Additional



Style : **Newberg**
Suede Camel with Crazy Horse Brown
Toe-Bump & Counter
Double Density PU, S1
Size : EU 38-46, UK 4-12
Article No. : JB-168
Standard
Additional



Style : **Kingston**
Buffalo Alabama Print Black DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JB-009
Standard
Additional
Also available in Single Density PU, JB-009 SD

Polyurethane (PU) Double Density - JB Series

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Protective Toe-Cap,
Sole: Double Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° Celsius, Anti-Static,
Standard: EN ISO 20345:2022, IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Urbana**
Buffalo Barton Print Black DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JB-124
Standard
Additional



Style : **Phoenix Plus**
Buffalo Barton Print Black DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JB-113
Standard
Additional



Style : **Phoenix**
Buffalo Barton Print Black DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JB-041
Standard
Additional
Also available in Single Density PU, JB-003



Style : **Phoenix**
Buffalo Barton Print Black DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JB-001
Standard
Additional

Polyurethane (PU) Double Density - JB Series

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Protective Toe-Cap,
Sole: Double Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° Celsius, Anti-Static,
Standard: EN ISO 20345:2022, IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Seattle**
Buffalo Alabama Print Black DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JB-002
Standard
Additional



Style : **Belmont**
Buffalo Barton Print Black DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JB-043
Standard
Additional

Also available in Single Density PU, JB-047



Style : **Reno**
Buffalo Barton Print Black DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JB-120
Standard
Additional



Style : **Reno**
Buffalo Barton Print Brown DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JB-123
Standard
Additional

Polyurethane (PU) Double Density - JB Series

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Protective Toe-Cap,
Sole: Double Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° Celsius, Anti-Static,
Standard: EN ISO 20345:2022, IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Sunnyvale**
Honey Nubuck DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JB-029
Standard
Additional



Style : **Denver**
Blue Nubuck DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JB-026
Standard
Additional



Style : **Oakland**
Buffalo Barton Print Black DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JB-121
Standard
Additional



Style : **Concord**
Buffalo Smooth Black DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JB-049
Standard
Additional

Polyurethane (PU) Double Density - JB Series

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Protective Toe-Cap,
Sole: Double Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° Celsius, Anti-Static,
Standard: EN ISO 20345:2022, IS 15298:2016 Part-2 (CM/L: 9300084113)



NEW

Style : **Toledo**
Buffalo CG Claret Black DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JB-138
Standard
Additional



NEW

Style : **Urbana**
Buffalo CG Brown
Double Density PU, S1
Size : EU 38-46, UK 4-12
Article No. : JB-169
Standard
Additional



NEW

Style : **Lakewood**
Buffalo CG Claret Black DIN-S3
Double Density PU, S2
Size : EU 36-46, UK 2-12
Article No. : JB-137
Standard
Additional



NEW

Style : **Bronx**
Buffalo Barton Print Black DIN-S3
Double Density PU, S2
Size : EU 36-46, UK 2-12
Article No. : JB-130
Standard
Additional

Polyurethane (PU) Double Density - JB Series

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Protective Toe-Cap,
Sole: Double Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° Celsius, Anti-Static,
Standard: EN ISO 20345:2022, IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Aspen**
Buffalo Crazy Horse Brown with
TPU Counter
Double Density PU, S1
Size : EU 38-46, UK 4-12
Article No. : JB-116
Standard
Additional



Style : **Aspen**
Buffalo Crazy Horse Black with
TPU Counter
Double Density PU, S1
Size : EU 38-46, UK 4-12
Article No. : JB-117
Standard
Additional



Style : **Boulder**
Brown Oil Pull-Up DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JB-039
Standard
Additional



Style : **Boulder**
Buffalo Crazy Horse Black
Double Density PU, S1
Size : EU 38-46, UK 4-12
Article No. : JB-115
Standard
Additional

Polyurethane (PU) Single Density - JB Series

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Protective Toe-Cap,
Sole: Single Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° Celsius, Anti-Static,
Standard: EN ISO 20345:2022, IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Phoenix Plus**
Buffalo Barton Print Black DIN-S3
Single Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JB-112
Standard
Additional



Style : **Columbia**
Buffalo Alabama Print Black DIN-S3
Single Density PU, S2
Size : EU 36-46, UK 2-12
Article No. : JB-052
Standard
Additional



Style : **Tyler**
Brown Oil Pull-Up DIN-S3
Single Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JB-046
Standard
Additional



Style : **Tyler**
Brown Oil Pull-Up DIN-S3
Single Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JB-048
Standard
Additional

Polyurethane (PU) Single Density - JB Series

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Protective Toe-Cap,
Sole: Single Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° Celsius, Anti-Static,
Standard: EN ISO 20345:2022, IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Chicago**
Buffalo Oiled Rust CG Cherry
Single Density PU, S1
Size : EU 38-46, UK 4-12
Article No. : JB-020
Standard
Additional



Style : **Tacoma**
Buffalo Oiled Rust CG Cherry
Single Density PU, S1
Size : EU 36-46, UK 2-12
Article No. : JB-007
Standard
Additional



Style : **Portland**
Buffalo Alabama Print Black DIN-S3
Single Density PU, S2
Size : EU 36-46, UK 2-12
Article No. : JB-136
Standard
Additional



Style : **Carbondale**
Silver Gallop Mesh Upper with
Suede Black Toe-Bump and Counter
Single Density PU, S1
Size : EU 38-46, UK 4-12
Article No. : JB-167
Standard
Additional

Polyurethane (PU) Single Density - JB Series

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Protective Toe-Cap,
Sole: Single Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° Celsius, Anti-Static,
Standard: EN ISO 20345:2022, IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Santa Fe**
Buffalo Smooth Black DIN-S3 with
Dark Grey Canvas
Single Density PU, S1
Size : EU 38-46, UK 4-12
Article No. : JB-162
Standard
Additional



Style : **Rock Island**
Buffalo Tango Print Tan
Single Density PU, S1
Size : EU 38-46, UK 4-12
Article No. : JB-170
Standard
Additional



Polyurethane (PU) Double Density - JR Series

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Protective Toe-Cap,
Sole: Double Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° Celsius, Anti-Static,
Standard: EN ISO 20345:2022, IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Oakland**
Buffalo Full-Grain Barton Print Black
DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JR-005
Standard
Additional



Style : **Urbana**
Buffalo Full-Grain Barton Print Black
DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JR-003
Standard
Additional



Style : **Atlanta**
Buffalo Full-Grain Alabama Print Black
DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JR-012
Standard
Additional



Style : **Olympia**
Buffalo CG Claret Black DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JR-001
Standard
Additional

Polyurethane (PU) Double Density - JR Series

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Protective Toe-Cap,
Sole: Double Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° Celsius, Anti-Static,
Standard: EN ISO 20345:2022, IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Lakewood**
Buffalo CG Claret Black DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JR-020
Standard
Additional



Style : **Lakewood**
Buffalo CG Claret Black DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JR-022
Standard
Additional



Style : **Tyler**
Honey Nubuck DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JR-039
Standard
Additional



Style : **Bloomington**
Brown Oil Pull-Up DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JR-032
Standard
Additional

Polyurethane (PU) Double Density - JR Series

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Protective Toe-Cap,
Sole: Double Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° Celsius, Anti-Static,
Standard: EN ISO 20345:2022, IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Rock Island**
Olive Nubuck
Double Density PU, S1
Size : EU 38-46, UK 4-12
Article No. : JR-023
Standard
Additional



Style : **Rock Island**
Olive Nubuck
Double Density PU, S1
Size : EU 38-46, UK 4-12
Article No. : JR-024
Standard
Additional



Style : **Rock Island**
Chocolate Brown Nubuck
Double Density PU, S1
Size : EU 38-46, UK 4-12
Article No. : JR-036
Standard
Additional



Style : **Rock Island**
Chocolate Brown Nubuck
Double Density PU, S1
Size : EU 38-46, UK 4-12
Article No. : JR-038
Standard
Additional

Polyurethane (PU) Double Density - JR Series

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Protective Toe-Cap,
Sole: Double Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° Celsius, Anti-Static,
Standard: EN ISO 20345:2022, IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Reno**
Buffalo Crazy Horse Brown
Double Density PU, S1
Size : EU 38-46, UK 4-12
Article No. : JR-035
Standard
Additional



Style : **Reno**
Buffalo Crazy Horse Brown
Double Density PU, S1
Size : EU 38-46, UK 4-12
Article No. : JR-034
Standard
Additional



Style : **Fairfield**
Nubuck Blue DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JR-030
Standard
Additional



Style : **Fairfield**
Honey Nubuck DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JR-027
Standard
Additional

Polyurethane (PU) Double Density - JR Series

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Protective Toe-Cap,
Sole: Double Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° Celsius, Anti-Static,
Standard: EN ISO 20345:2022, IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Denver**
Honey Nubuck DIN-S3 with
Shark Print Toe-Bump
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JR-054
Standard
Additional



Style : **Denver**
Buffalo Smooth Black DIN-S3 with
Shark Print Toe-Bump
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JR-051
Standard
Additional



Style : **Dalton**
Buffalo CG Claret Black DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JR-031
Standard
Additional



Style : **Auburn**
Buffalo Smooth Black DIN-S3 with
TPU Counter
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JR-033
Standard
Additional

Polyurethane (PU) Double Density - JR Series

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Protective Toe-Cap,
Sole: Double Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° Celsius, Anti-Static,
Standard: EN ISO 20345:2022, IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Pontiac**
Buffalo CG Claret Black DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JR-028
Standard
Additional



Style : **Dover**
Honey Nubuck DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JR-055
Standard
Additional



Style : **Rigger Boot**
Brown Oil-Pull Up DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JR-019
Standard
Additional



Style : **Nashville**
Brown Oil-Pull Up DIN-S3 with
Shark Print Toe-Bump and Counter
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JR-057
Standard
Additional

Polyurethane (PU) Single Density - JR Series

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Protective Toe-Cap,
Sole: Single Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° Celsius, Anti-Static,
Standard: EN ISO 20345:2022, IS 15298:2016 Part-2 (CM/L: 9300084113)




Style : **Urbana**
Buffalo Alabama Print Black DIN-S3
Single Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JR-004
Standard
Additional



Style : **Urbana**
Buffalo Barton Print Brown DIN-S3
Single Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JR-003 SD BRN
Standard
Additional



Style : **Metatarsal Safety Shoe**
Buffalo Full-Grain Barton Print Black
DIN-S3
Single Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JR-052 MET
Standard
Additional



Heat Resistant Safety Shoes - JS Series

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Protective Toe-Cap,
Outsole: Nitrile Rubber, Heat Resistant upto 300° Celsius, **Midsole:** Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant,
 Anti-Static, **Standard:** EN ISO 20345:2022, IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Metatarsal Safety Boot**
 Buffalo CG Claret Black DIN-S3
 Double Density Rubber/PU, S2 HRO
 Size : EU 38-46, UK 4-12
 Article No. : JS-152
 Standard
 Additional



NEW



Style : **Metatarsal Safety Boot**
 Buffalo CG Smooth Black DIN-S3
 Double Density Rubber/PU, S2 HRO
 Size : EU 38-46, UK 4-12
 Article No. : JS-160
 Standard
 Additional



Style : **Welder Boot**
 Buffalo Barton Print Black DIN-S3
 Double Density Rubber/PU, S2 HRO
 Size : EU 38-46, UK 4-12
 Article No. : JS-145
 Standard
 Additional



NEW



Style : **Buffalo**
 Buffalo CG Smooth Black DIN-S3
 with TPU Toe-Bump
 Double Density Rubber/PU, S2 HRO
 Size : EU 38-46, UK 4-12
 Article No. : JS-163
 Standard
 Additional



Heat Resistant Safety Shoes - JS Series

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Protective Toe-Cap,
Outsole: Nitrile Rubber, Heat Resistant upto 300° Celsius, **Midsole:** Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant,
 Anti-Static, **Standard:** EN ISO 20345:2022, IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Chicago**
 Buffalo Barton Print Black DIN-S3
 Double Density Rubber/PU, S2 HRO
 Size : EU 38-46, UK 4-12
 Article No. : JS-077
 Standard
 Additional



Style : **Phoenix**
 Buffalo Barton Print Black DIN-S3
 Double Density Rubber/PU, S2 HRO
 Size : EU 38-46, UK 4-12
 Article No. : JS-076
 Standard
 Additional



NEW



Style : **Urbana**
 Buffalo Full-Grain Barton Print Black
 DIN-S3
 Double Density Rubber/PU, S2 HRO
 Size : EU 38-46, UK 4-12
 Article No. : JS-161
 Standard
 Additional



NEW



Style : **Oakland**
 Buffalo Full-Grain Barton Print Black
 DIN-S3
 Double Density Rubber/PU, S2 HRO
 Size : EU 38-46, UK 4-12
 Article No. : JS-162
 Standard
 Additional



Electrical Shock Resistant Safety Shoes

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Protective Toe-Cap,
Sole: Single/Double Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° Celsius,
Standard: EN ISO 20345:2022, IS 15298:2016 Part-2 (CML: 9300084113)



Style : **Tacoma**
Buffalo Barton Print Black DIN-S3
Single Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JS-114 FT
Standard
Additional
Electrical Shock Resistant upto 18kV for 1 Minute Exposure

NEW



Style : **Oakland**
Buffalo Full-Grain Barton Print Black
DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JR-005 S
Standard
Additional
Electrical Shock Resistant upto 22kV for 1 Minute Exposure

NEW



Style : **Urbana**
Buffalo CG Claret Black DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JR-056
Standard
Additional
Electrical Shock Resistant upto 22kV for 1 Minute Exposure

Style : **Seattle**
Buffalo Smooth Black DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JS-115 FT
Standard
Additional
Electrical Shock Resistant upto 22kV for 1 Minute Exposure

Clean-Room Safety Shoes (Microfibre) - JM Series

Upper: Microfibre, Last: 522, Toe Cap: EN Standard 200 Joules Protective Toe-Cap,
Sole: Single/Double Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° Celsius,
Anti-Static, Standard: EN ISO 20345:2022, IS 15298:2016 Part-2 (CML: 9300084113)



Style : **Portland**
Microfibre White DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JM-001
Standard
Additional



Style : **Portland**
Microfibre Black DIN-S3
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JM-002
Standard
Additional

NEW



Style : **Atlanta**
Microfibre Black DIN-S3
Single Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JM-003
Standard
Additional

NEW



Style : **Atlanta**
Microfibre White DIN-S3
Single Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JM-004
Standard
Additional

Fly-Knit Safety Shoes - JF Series

Upper: Fly Knit, Last: 522, Toe Cap: EN Standard 200 Joules Protective Toe-Cap,
Sole: Double Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° Celsius, Anti-Static,
Standard: EN ISO 20345:2022, IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Richmond**
Flyknit Upper Grey/Black
Double Density PU, S1
Size : EU 38-46, UK 4-12
Article No. : JF-001

Standard

Additional



Style : **Brooklyn**
KPU Upper Black with Suede Black
Toe-Bump and Counter
Double Density PU, S2
Size : EU 38-46, UK 4-12
Article No. : JF-002

Standard

Additional



Style : **Georgia**
Flyknit Upper Black/Green with
TPU Toe-Bump and Counter
Double Density PU, S1
Size : EU 38-46, UK 4-12
Article No. : JF-003

Standard

Additional



Style : **Georgia**
Flyknit Upper Grey/Black with
TPU Toe-Bump and Counter
Double Density PU, S1
Size : EU 38-46, UK 4-12
Article No. : JF-004

Standard

Additional

SAFETY CATEGORY
(STANDARD: EN ISO 20345:2022)

SB									
SBP									
S1									
S1P									
S2									
S3									

INSOLE MEASUREMENTS

Size (UK)	Length (mm.)
2	232
3	240
4	248
5	256
6	264
7	272
8	280
9	288
10	297
11	304
12	313

PICTOGRAM

	200 Joules Protective Toe-Cap		Anti-Static (A)
	Oil Resistant Outsole (FO)		Anti-Penetration Midsole (P)
	Slip Resistant Sole (SR)		Water Resistant Upper (WR)
	Energy Absorption Seat Region (E)		Electrical Hazard (EH)

SAFETY CATEGORIES (EN ISO 20345: 2022)


SB - Presence of a Safety Toe - Cap (Metallic / Non-Metallic) providing protection to the toes against falling objects and compression injury if trapped under a heavy object. The impact resistance is 200 Joules and compression resistance offered in 15 kN.

- S1 - As SB standard plus Anti-Static Properties (A) + Energy Absorption of Seat Region (E) + closed heel area.
- S1P - As S1 standard + metallic anti-penetration midsole (P)
- S1PL - As S1 standard + non-metallic anti-penetration midsole (PL)
- S1PS - As S1 standard + non-metallic anti-penetration midsole (PS)
- S2 - As S1 standard + water penetration resistance and water absorption of the upper material (WPA)
- S3 - As S2 standard + metallic anti-penetration midsole (P) + cleated outsole
- S3L - As S2 standard + non-metallic anti-penetration midsole (PL) + cleated outsole
- S3S - As S2 standard + non-metallic anti-penetration midsole (PS) + cleated outsole
- S6 - As S2 standard + Water Resistant Footwear (WR)
- S7 - As S3 standard + Water Resistant Footwear (WR)
- S7L - As S3L standard + Water Resistant Footwear (WR)
- S7S - As S3S standard + Water Resistant Footwear (WR)

KEY SYMBOLS / FEATURES

- A - Anti-Static Footwear (electrical resistance between 100 kilo-ohms and 1000 mega-ohms)
- ⚡ ESD - Electrostatic Dissipative Footwear (electrical resistance between 100 kilo-ohms and 100 mega-ohms)
- P - Penetration Resistance with Metallic Midsole (nail Ø 4.5 mm)
- PL - Penetration Resistance with Non-Metallic Midsole (nail Ø 4.5 mm)
- PS - Penetration Resistance with Non-Metallic Midsole (nail Ø 3.0 mm)
- E - Energy Absorption of Seat Region
- WR - Water Resistant Upper
- WPA - Water Penetration and Absorption
- HRO - Outsole Resistance to Hot-Contact (upto 300 degree Celsius for 1 minute exposure)
- FO - Outsole Resistance to Fuel Oil
- SR - Slip Resistant Footwear
- LG - Ladder Grip on Outsole
- CI - Cold Insulation of Sole Complex
- HI - Heat Insulation of Sole Complex

CERTIFICATIONS



Whereas, the license was valid upto Seventeenth July Two Thousand Twenty Three. Now, consequent upon renewal, the validity of the license given in schedule of the License Dated 14-07-2022 has been extended from Seventeenth July Two Thousand Twenty Three to Sixteenth July Two Thousand Twentyfour.

Other terms and conditions of license remain same.

Branch Head (Lucknow Branch Office)

Manoj Bhawan, 9 Bahadur Shah Zafar Marg, New Delhi 110002, 9 Bahadur Shah Zafar Marg, DELHI110002
 Contact No: +91 11 23240131, 23233375, 23239402 Fax: +91 11 23240602, 232 Email: info@bis.gov.in